

EABCL

Beyond Business



East African Business Company Limited



Product Range

- ▶ Insecticides;
- ▶ Fungicides;
- ▶ Herbicides;
- ▶ Adjuvants;
- ▶ Fertilizer and Bio-stimulants;
- ▶ Agrinets and Green House Materials;
- ▶ Insect Traps;
- ▶ Soil Amendments and Growing Media;
- ▶ Disinfectants,
- ▶ Soap and Others Farm Hand Held Tools;
- ▶ Public Health Products

Mission

To provide high quality agri input products and technical services at an affordable price and timely delivery.

Vision

To be a leader in Agri input market with innovative products that enhance crop productivity, add value to human life and build a relationship **“Beyond Business”** with our Business partners.

Core Values

| Ethical | | Quality | | Uniqueness | | Innovativeness | | Partnership |

Insecticides



Fungicides



Herbicides



Fertilizers



Products



INSECTICIDES							
Brand Name	IRAC CODE	Active Ingridients	Mode of Action	Target Pests	Application Rate (1000L/Ha)	WHO CLASS	MPS NO/PCPB NO
Abasi [®] 5 EC	6	Abamectin 5%	Insecticide, acaricide and nematocide with contact and stomach action exhibiting translaminar movement.	Thrips, Spidermites, Leaf Miners, White Flies and Nematodes.	200 - 300ml	II	4338 / 1740
Afifen [®] 10.8 EC Nefifa [®] 100 EC	7C	Pyriproxyfen 10.8% Pyriproxyfen 10%	Insect growth regulator (IGR) which acts by suppressing embryogenesis and inhibiting metamorphosis and reproduction.	White Flies, Thrips, Caterpillars, FAW; FCM, Scales and Mealy bugs.	500ml	III	3955 / 1410 4657 / 2269
Altair [®] 50 WDG	4A	Acetamiprid 50%	Systemic with translaminar activity having both contact and stomach action. Acetylcholine receptor(nAChR) agonist.	Thrips, Aphids, Thrips and Whiteflies	80g	II	4595 / 2178
Artic [®] 10SC	3A	Etofenprox 10%	Act on the membrane of nerve cells blocking the closure of the ion gates of the sodium channel which disrupts the transmission of nervous impulses causing paralysis and death on the pests.	Aphids, Thrips, Spidermites, Whiteflies and Carterpillars	500ml	II	4614 / 2247
Biobat [®] 0.5% WP	11A	Bacillus thuringiensis var.kurstaki 0.5%	The insect ingests a protein toxin that activates in the gut, damaging cells and causing paralysis. This leads to the insect stopping feeding and eventually dying.	Caterpillars, Diamond Black Month (DBM) and Thrips.	2.5kgs	IV	2557
Biomysis [®] Mean 1.15WP	UNF	Metarhizium anisopliae 1.15% (1 X 10 ⁸ CFU/g)	Penetration and sporulation of Metarhizium fungi to the target pests.	Thrips, Caterpillars and Mealy bugs	2ltrs	IV	4596 / 2207
Cierto [®] 12 SC	6 + 10B	Abamectin 2% + Etoxazole 10%	Systemic Insecticide, acaricide and nematocide with contact and stomach action.	Thrips, Whiteflies, Aphids and Spidermites, Caterpillars	500ml	II	2252
Confirm [®] 240 SC	18	Methoxyfenozide 24%	Mimics ecdysteroid hormones, disrupting molting in caterpillars and causing death.	Caterpillars and Diamondback Moth	500ml	III	2549
Delros [®] 25 SC	3A	Deltamethrin 25%	Broad-spectrum insecticide that interferes with the nerves system working mechanism with both knockdown and repellent activity.	Caterpillars, Aphids and Thrips	500ml - 1ltrs	III	4439 /1890
EABCL Admire [®] 70 WDG	4A	Imidacloprid 70%	Systemic insecticide with translaminar activity and with contact and stomach action.	Thrips, Mealy bugs, White Fly and Caterpillar.	200g as spray and 600g as drench	II	3959 / 1298
EABCL Contest [®] 5.7 WDG	6	Emamectin Benzoate 5.7%	Non-systemic insecticide with translaminar movement causing paralyis in Lepidoptera hence death by starvation.	Caterpillars, FAW; FCM; Thrips, Mealy bugs and Mites.	125 - 250g	III	4143 /1459
EABCL Vital [®] 350 SC	4A	Imidacloprid 35%	Systemic insecticide with translaminar activity and with contact and stomach action.	Thrips, Mealy bugs, White Fly Nymphs and Caterpillars.	300ml - spray and 1ltr - drench	II	3957 / 1284
East Trap [®] 4 G	14	Cartap Hydrochloride 4%	Systemic insecticide with stomach and contact action. Insects discontinue feeding and die of starvation.	Thrips, Mealy bugs, White Flies, Caterpillars, Slugs and Snails.	25 kg - soil additive	III	3962 / 1287
Fenmite [®] 240 SC	20D	Bifenazate 24%	Neuronal inhibitor, non-systemic having contact and residual action. Mitochondrial complex III electron transport inhibitor	Spidermites	400ml	II	4545 / 2088
Garland [®] 20 SP	17	Cyromazine 20% SP	Systemic insect growth regulator(IGR) with contact action interfering with moulting and pupation.	Thrips and Leaf Miners.	750 - 1kg	III	4216 / 1499
Garland [®] Max 30 WP	17 + 14	Cyromazine 5% + Monosultap 25%	Systemic broad spectrum insect growth regulator (IGR) with contact, fumigative, ovicidal and stomach action interfering with moulting and pupation.	Thrips, Aphids, White flies,Mites, Caterpillars and Leaf Miners.	0.5 - 1kg	III	4217 / 1567
Malamar [®] 50 EC	1B	Malathion 50%	Broad spectrum insecticide & acaricide that inhibits acetylcholenesterase enzyme.	Thrips, Aphids whiteflies and Diamond backmoth.	2ltrs	III	455 / 2048
Mongari [®] 25 WDG	4	Thiamethoxam 25%	An insecticide with contact, stomach and systemic activity.	Thrips, aphids, whiteflies, Leaf Miners	200g	II	4248 / 1627
Mortar [®] 22 WP	16 + 4A	Buprofezin 20% + Imidacloprid 2%	Systemic insecticide with translaminar activity and with contact and stomach action. It also inhibits chitin biosynthesis.	Mealy bugs, White Flies, Aphids and Thrips.	2kg	III	4225 / 1531
Myriad [®] 5 SC	28	Matrine 0.5%	Broad spectrum insecticide with contact and stomach action.	Thrips, Aphids, White Flies and Caterpillars	125 - 250ml	III	4337 / 1767
Nerisect [®] 50 SP	14	Thiocyclam hydrogen Oxalate 50%	Is a nereistoxin analogue insecticide with contact and stomach actions, which acts by blocking the synapsis of the central nervous system causing paralysis and hence stops feeding.	Thrips, Aphids and White Flies	500g	III	4658 / 2258
Nemaxe [®] 300ppm	UN	Azadirachtin 0.3g/L	It's an anti-feedant, but it also disrupts normal insect growth/molting, repels larvae and adults, sterilizes adults and deters egg laying.	Thrips, Aphids,Caterpillars and White Flies	2 - 2.5ltrs	II	4694 / 2355
Platinum [®] Star 10 SC	6 + 18	Abamectin 2%+ Methoxyfenozide 8%	Insecticide with Contact, Stomach and Translaminar action as well as mimic properties of Molting Hormone.	Spider Mites, FCM and Caterpillars	500ml	II	4556 / 2161

INSECTICIDES							
Brand Name	IRAC CODE	Active Ingridients	Mode of Action	Target Pests	Application Rate (1000L/Ha)	WHO CLASS	MPS NO/PCPB NO
Reason®10 EC	3A	Alpha cypermethrin 10%	Non-systemic insecticide with contact and stomach action.	Thrips, Aphids, Leaf miner, Whiteflies and Caterpillar.	250ml	II	4440 / 1958
Rider®25 EC	3A	Lambda - cyhalothrin 2.5%	Non-systemic, contact and stomach action. Some repellent properties.	Aphids, Whiteflies, Thrips and Spidermites	600ml	II	4599 / 2042
Rider Pro®24.7 SC	4A + 3A	Thiamethoxam 14.1% + Lambda-cyhalothrin 10.6%	Act on the membrane of nerve cells blocking the closure of the ion gates of the sodium channel which disrupts the transmission of nervous impulses causing paralysis and death on the pests.	Aphids, Whiteflies, Spidermites, FAW, Mealybugs and Caterpillars	500ml	III	4691 / 2350
Rocket®44 EC	1B +3A	Profenofos 40% + Cypermethrin 4%	Translaminar, non systemic insecticide and acaricide with contact, stomach and ovicidal action.	Thrips, aphids, FAW, whiteflies, Mealybugs and Caterpillars, FCM.	1.5ltr	II	4340 /1529
Rhyme®15 EC	21A	Pyridaben 15%	Non-systemic with rapid knock down action and long residual activity. It is an inhibitor of mitochondrial electron transport at complex I.	Spidermites, Thrips and Whiteflies	1ltr	III	4557 / 2145
Savage®240 SC	23	Spirodiclofen 24%	Inhibits lipid synthesis thus halting the development of the immature stages thereby killing the the target pests.	Spidermites & Thrips	500ml	III	4558 / 2153
Synisal®25 SC	16	Buprofezin 25%	An insect growth regulator that disrupts chitin synthesis and molting, leading to death of a pest.	Whiteflies, Aphids, Mealybugs, Thrips and Caterpillar	800ml	III	2555
Testcon 2.3% EC	6	Emamectin Benzoate 2.3%	Non-systemic insecticide with translaminar movement causing paralysis in Lepidoptera hence death by starvation.	Caterpillar, Thrips, Pod borer, Spidermites, Tuta Absoluta & Fall Armyworms	350ml	III	4830 / 2425
Tiazinon®600 EC	1B	Diazinon 60%	Non-systemic, contact toxicant. It is also active by ingestion and fumigation.	Thrips, Aphids, Caterpillars & Whiteflies	1.5ltr	II	4438 / 1064
PUBLIC HEALTH PRODUCTS							
Brand Name	IRAC CODE	Active Ingredient	Mode of Action	Target Pests	Application Rate (1000L/Ha)	WHO CLASS	MPS NO/PCPB NO
Lethal Pro®45 EC	1B	Chlorpyrifos 45%	Non-systemic, contact toxicant. It is also active by ingestion and fumigation.	Termites	500ml	II	1718(P11)
Termikil®35 SC	4A	Imidacloprid 35%	Systemic insecticide with translaminar activity and with contact and stomach action.	Termites	3.75 ml/ 3 L of water (25 ml/20L)	II	4342 / 1284(Pi)
Shock®2 Gel	4A	Imidacloprid 21.5g/kg	Public health insecticide for the control of Cockroaches in Domestic Environs.	Cockroaches	10g	III	2026
FUNGICIDES							
Brand Name	FRAC CODE	Active Ingridients	Mode of Action	Target Diseases	Application Rate (1000L/Ha)	WHO CLASS	MPS NO/PCPB NO
Afribat®69 WP	M03 +40	Mancozeb 60%+ Dimethomorph 9%	Broad-spectrum, local systemic, multi sited contact fungicide with protective and antisporeulant activity.	Downy Mildew, Botrytis, Rust and Leaf spots.	2kg	III	4025 / 1320
Afrizeb® 75 WDG	M03	Mancozeb 75%	Broad-spectrum, non-systemic multi sited contact fungicide with protective action.	Downy Mildew, Botrytis, Rust and Leaf spot	2kg	III	3961 / 1250
Afrizeb® Super 50 WP	1 +M03	Thiophanate Methyl 15%+ Mancozeb 35%	Broad-spectrum, contact and systemic multi sited fungicide with protective and curative action.	Downy Mildew, Botrytis, Powdery Mildew and Soil Fungi	750g	III	4351/ 1661
Alert®50 SC	1	Thiophanate Methyl 50%	Systemic fungicide with protective and curative action.	Powdery Mildew, Botrytis and Soil fungus	1.25ltr as spray and 1.5 -2ltr as Drench	III	4215 / 1500
Best Guard®Pro 68 WDG	M03 + 4	Mancozeb 64 % + Metalaxyl M 4%	Broad-spectrum, contact and systemic multi sited fungicide with protective and curative action.	Downy Mildew, Blight	2kg	III	4560 / 2152
Bufloxin 25 EC (Enclosure®Gold 25 EC)	8 + 11	Bupirimate 15%+ Trifloxystrobin 10%	Is a translaminar mobility & systemic translocation that inhibits sporulation. Block the mitochondrial electron transport chain and inhibit energy production in fungi.	Powder Mildew, Downy Mildew and Botrytis.	300ml	III	2401 / 4721
Checkmate®72 WP	M03 + 27	Mancozeb 64% + Cymoxanil 8%	Locally systemic fungicide with contact, protective and curative action It inhibits Sporulation in fungi.	Downy Mildew, Black Spot and Botrytis	2kg	III	4561 / 2154
Contender®80 WDG	P07(33)	Fosetyl Aluminium 80%	Systemic fungicide, rapidly absorbed through the plant leaves or roots, with translocation both acropetally and basipetally.	Downy Mildew and Soil fungus.	2kg	III	3958 / 1260
Copter®50 WDG	M01	Copper hydroxide 53.8%	Broad-spectrum , Multi sited fungicide with protective action.	Black Spots and Botrytis	1.5 - 2kgs	III	4273 / 1646
Copter®Hi 85 WP	M01	Copper Oxychloride 85% equivalent to min 57% copper content.	Broad-spectrum , Multi sited fungicide with protective action.	Black Spots, Blight, Botrytis, Downy mildew and Leafspots	1 - 1.5kgs	III	4827 / 2506
Cropstar®50 WDG	3	Imazalil 50%	Is an Imidazole systemic fungicide with curative and a protective action.It interferes with the cellular permeability of pathogenic fungi.	Botrytis	500ml	II	4601 / 2228
Cupertine®Super 25.5% WP	M01+27	Bordeaux mixture 22.5% + Cymoxanil 3%	Prevents germination, Inhibits synthesis of nucleic acids, amino acids & other cellular process in fungi lifecycle. It forms a chemical barrier against fungal attack.	Agrobacteria, Leafspots, Rust, Bright, Blackspots, Downy mildew, Powdery mildew and Botrytis	400 - 600g	III	4828 / 2507

FUNGICIDES							
Brand Name	FRAC CODE	Active Ingridients	Mode of Action	Target Pests	Application Rate (1000L/Ha)	WHO CLASS	MPS NO/PCPB NO
Difenmide® 325 SC	11 + 3	Azoxystrobin 200g/L + Difenoconazole 125 g/L	A systemic, broad spectrum fungicide belonging to the chemical group of strobilurins.	Powdery Mildew, Rust, Spots and Anthracnose.	0.75L	II	4594 / 1992 - P(iii)
Dynasty®70 WDG	M03	Propineb 70%	Broad spectrum contact fungicide with protective action and multi site activity.	Rust, Downy Mildew, Leaf Spots and Blight	2kgs	III	4274 / 1681
EABCL Priori® 250 SC	11	Azoxystrobin 25%	Fungicide with protectant, curative, eradicant, translaminar and systemic properties. Inhibits sporulation.	Botrytis, Powdery Mildew and Downy	500ml as Spray and 1 - 1.5 liter Drench	III	3956 / 1256
Embalem®500 SC	2	Iprodione 50%	Broad spectrum contact fungicide with protective action and eradivative activity.	Botrytis	1liter	II	4350 / 1687
Enclosure®25 ME	8	Bupirimate 25%	Systemic fungicide with curative and protectant action	Powdery Mildew	2 - 2.5litrs	III	4597 / 2044
Evade® 80 WP	M03	Mancozeb 80%	Broad-spectrum, non-systemic and multi sited contact fungicide with protective action.	Downy Mildew and Botrytis.	2kg	III	4339 / 1719
Krisulf®80WDG	M02	Sulphur 800g/Kg	A non-systemic contact and protectant fungicide that acts on both the spores and mycelium.	Powdery mildew and Spider mites	1.5 - 2kg	III	4693 / 2313
Fungzil®15 EC	3 + 3	Prochloraz 2.5% + Myclobutanil 12.5%	Broad spectrum, systemic with protective, eradivative and curative action. Disrupts membrane function by inhibiting sterol biosynthesis.	Powdery Mildew , Rust and Leaf Spots.	400 - 600ml	III	4598 / 2199
Mevaxil OH 22 SC	M01 + 4	Copper hydroxide 18.5 % + Metalaxyl 3.5%	Is a fungicide mixture combining the systemic activity of Metalaxyl (belonging to acylalanines group) and the protective activity of copper (belonging to inorganic group of chemicals)	Downy mildew, Basal stem rot, Leafspots and Blight	3.2litrs	III	4829 / 2446
Pirecris® 500 EC	G2	Spiroxamine 50%	Inhibits fungal growth by disrupting cell membranes and offers systemic and contact protection.	Powdery Mildew, Blight, Downy Mildew and Fungal leaf spots.	1liter	III	1050
Practis 250 EC	3	Propiconazole 25%	Systemic with protective and curative action with translocation acropetally in the xylem.	Powdery Mildew, Leaf Spots, Butt rot and Rust,	500ml	III	4250 / 1602
Priori® Combi 84 WDG	11 + 3	Azoxystrobin 60% + Cyproconazole 24%	Systemic fungicide with protectant, curative, eradicant and translaminar systemic properties. Inhibits sporulation.	Powdery Mildew, Leafspots, Rust, Botrytis.	200g	III	4602 / 1998 –P(I)
Timrep®Top 38 SC	11 + 7	Pyraclostrobin12.8% + Boscalid 25.2%	Contact fungicide with protective and curative action. Inhibits germination of spores and growth of fungal mycelium.	Powdery Mildew and Downy Mildew	0.8 - 1liter/ Ha	II	4692/ 2351
Tyfos®722 SL	28	Propamocarb 72.2%	Systemic fungicide with protective action. Absorbed by the roots and leaves, and transported acropetally.	Downy Mildew	2 liter/ hectare as spray and 3 - 5ltr/ hectare as Drench.	III	4124' / 1391
Vision®40 SC	9	Pyrimethanil 40%	Contact fungicide with translaminar movement, providing both protective and curative action.	Botrytis	1ltr	III	4536 / 1972
Zodiac® 50 WDG	40	Dimethomorph 50%	Local systemic fungicide with good protectant and antisporeulant activity.	Downy Mildew	500g	III	3960 / 1311
Zodiac®Star 30 WDG	11 + 40	Azoxystrobin 20%+ Dimethomorph 10%	Local systemic fungicide with Protectant, curative, eradicant, translaminar and antisporeulant activity.	Botrytis, Powdery Mildew, Downy Mildew Leafspots and Rust	500g	III	4218 / 1524
HERBICIDES							
Brand Name	HRAC	Active Ingridients	Description	Target Weeds	Application Rate (1000L/Ha)	WHO CLASS	MPS NO/PCPB NO
Butik®Xtra 200 SL	H	Glufosinate ammonium 20%	None selective herbicide that Inhibits photosynthesis by mimicking glutamine synthetase	Broad leafed, Annual and Biannual grasses	3litrs	II	1853 (P1)
Emetri®480 SC	H	Metribuzin 48%	Blocks photosystem II, depleting energy in weeds and causing their growth inhibition and death. It is systemically absorbed and controls broadleaf and grassy weeds.	Broad-leaved weeds and Grasses	1.2liter/ ha/ 400liter of water	III	2554
Gyprom®480 SL	G	Glyphosate 48% (IPA Salt)	Non-selective herbicide absorbed by the leaves with rapid transmission throughout the plant.	Broad leafed, annual and biannual grasses	3litrs	III	4402 / 1668
Meldicut® 80 WP	C1	Bromacil 80%	Non - Selective Broad leafed, annual and biannual grasses.	Broad leafed, annual and biannual grasses	2.5kg	III	2457
Phantom 50 EC	K1	Pendimethalin 50%	Pre-emergence herbicide for the control of grasses and broad leaved leaves	Grasses and Broad - leaved weeds	3liter/400liter of water	III	4722 / 2428
ADJUVANT							
Brand Name	Active Ingridients		Description		Application Rate (1000L/Ha)	WHO CLASS	MPS NO/PCPB NO
K - soap®	Potassium Soap		An extremely versatile cleaning agent. Being potassium hydroxide based soap, it is highly soluble in water and more environment-friendlythan contemporary sodium-based soaps.		2 - 5 litrs	N/A	4039
Orsil Gold®	Organosilicone 100%		Organosilicone 100% (Polyalkyleneoxide modified heptamethyltrisiloxane 83% w/w + alkyl and propenyl isomers of the polyalkyleneoxide 17% w/w).		500ml	II	4550 / 2015-P(ii)

FERTILIZERS FOLIAR FEEDS

Brand Name	Description	Application Rate (1000L/Ha)	MPS NO
Algastim®	Biostimulant under liquid formulation for drip and foliar application made from concentrated sea weed (Ascophyllum nodosum)extracts and Potassium oxide under organic complex with high speed of translocation and assimilation.	1- 2 L as Spray and 4-6 L as Drench	1147
Biorise®Gr	BIORISE Contains beneficial mycorrhizal fungi which attaches the plant root forming a network of fungal fibre which captures important nutrients from the soil for the host plant. It has been approved by KEPHIS .	6 - 8Kg	4696
Biorise®SL		250 - 500ml	4695
CAL 56	Liquid fertilizer concentrated with [CaO : 560g/L; N : 33.8g/L; Zn : 26g/L and Mn : 8g/L] perfect for correcting Calcium deficiencies.	2 - 3Ltrs	1284
Calibor®	Liquid complex of Boron and with strong power of penetration and translocation. Corector of boron and calcium deficiency for all cultivation. It is perfect for fruit quality and development, fights physiological disorders.	2 - 3 Ltrs	1283
Copper Safe®	A liquid copper (5%) based fertilizer which facilitates the enzymatic development of plant, boosting the production of key proteins. It enhances the plant immune system and Prevents and corrects copper deficiencies. Can be used as foliar application and fertirrigation.	Foliar Spray 2L / Ha. Fertirigation 3-4L / Ha	1151 / 1174
EABCL Synergiac®	It is an EC liquid fertilizer with NPK [N (20g/L), P2O5 (110g/L) and K2O (120g/L)] and rich in Amino Acids and Sea weed extracts. It is also fortified with the chelated trace micro elements and is ideally suited for all the crops.	1-2 L as Spray and 4-6 L as Drench	1282
FerroActiv® (Fe EDDHA / EDDHSA 6%)	A chelated EDDHA/EDDHSA 6% in the form of micro- granules and is completely soluble in water. Has very high composition of Iron Chelates EDDHA). Effective in prevention and correction of Iron Chlorosis. It works effectively at a pH range of 3.5 to 12.	8 - 10 Kg	S40 - 1308 H42 - 1386
Folia K®	A liquid fertilizer for foliar and fertigation applications, with high level of Potassium (30%). It works on Neutral pH.	2L as Spray	1148
Frost Protest®	Its formulation, based on organic acids, covers the external surface of the plants, blocking the water loss owing to low temperatures and thus minimizing the damages caused by those adverse conditions.	0.5 - 1Ltrs	1379
Goodwill®	Is a plant growth regulator that activates plant mechanisms in at physiological - level. It's use bio - stimulates vegetative growth , side bud burst, flower and fruit mooring, photosyntate formation and also delays senescence. Contains a Balanced applications of cytokinins, Amino acids, Gibberellins and auxins.	Foliar: 0.3 - 0.5 L and Drench 1Litre	4559
HUM 3®	Concentrated soluble source of potassium humate extracted from European Leonardite and also containing Iron chelate EDDHA, Humics and Fulvic acid.	2-3kg soil Drench, 1.5kg Hydroponics at Fortnightly intervals	1146
HUMOL® GR	Humol Gr. is a mixture of Humic acid, Roasted Clay granules and inert Materials. Applicable both under basal and top dressing application for all crops.	8 - 10Kg	1385
Kelebor®	A liquid complex specially formulated to prevent and correct Boron (11%) deficiency for all crops.	1.5 Ltrs	1380
Noble® Mix	It is a unique combination of Macro & Micro- nutrients available for folia and drip irrigation in all crops.Mg: 5.40%(Magnesium), B: 0.5%(Boron), Cu: 1.50%(Copper), Fe: 4.0(Iron), Mn: 4.0(Manganese), Mo: 0.10%(Molybdenum), Zn: 1.50%(Zinc), Co: 0.05% (Cobalt).	Spray: 1Kg/Ha, Drip: 4 - 5Kg/Ha	1381
Oxyflower®	It is a specifically formulated fertilizer containing 4% nitrogen, 20% phosphorus and trace elements. Its an ideal product for ensuring flowering, fruit set and fruit development.	1.5 - 2 Ltrs	1285
Trufert® Humi	Concentrated humic fulvic (20%) fertilizer both in liquid and granular forms with ability to chelate cations (Mg, Ca, Fe etc) facilitating their uptake.	2 - 3 L/Ha and 4 - 6kg soil Drench, 1.5kgs Hydroponics, at Fortnight interval	1286
VegFru®	A unique combination of Ca, Mg, Potassium, Nitrogen and micro - nutrients (Complexed by BRNA). Ideal for vegetative, flowering and fruity stage on vegetables and fruits.	Foliar: Veg: 2 - 3 Kg(1%) Fruits: 3 - 6 Kg (1.5%) Fertigation: Veg: 0.1Kg Fruits: 0.3Kg	1440

