

# PRIORI COMBI 84 WDG

AZOXYSTROBIN 600G/KG + CYPROCONAZOLE 240 G/KG



FRAC (Fungicide Resistance Action Committee) code: **Azoxystrobin: 11**  
**Cyproconazole 240 g/Kg: 3**

**Description:** **PRIORI COMBI 84 WDG** is a fungicide for the control of Stem Rust (*Puccinia graminis*) and Yellow rust (*Puccinia striiformis*) in Wheat.

**Mixing instructions:** Half fill the spray tank with water. Add the required amount of **Priori Combi 84 WDG** then fill the water to the required level and mix or agitate thoroughly to uniformity. Spray immediately after mixing.



## ADVANTAGES OF PRIORI COMBI 84 WDG

1. Combines **preventive and curative action** by pairing a strobilurin with a triazole fungicide.
2. Provides **broad-spectrum disease control**, including rusts, powdery mildew, leaf spots, and blights.
3. **Systemic and translaminar movement** ensures thorough protection of foliage and new growth.
4. Delivers **rapid disease suppression** and long-lasting residual control.
5. Supports **resistance management** through dual modes of action (FRAC 11 + FRAC 3).

## AZOXYSTROBIN 600G/KG

Category	Information
Site of Action	Mitochondrial electron transport inhibition (MET III) by inhibition of ubiquinol oxidase at the Qo (quinone outside) binding site on cytochrome bc1 (complex III).
Spectrum and Route of Action	Systemic fungicide with protective, curative and eradicant activity, absorbed by roots and leaves, translocated acropetally and by translaminar mobility. Inhibits spore germination and mycelial growth and shows antispore activity.
Uses (Crops & Diseases)	<p><b>Cereals:</b> Erysiphe graminis, Puccinia spp., Leptosphaeria nodorum, Septoria tritici, Pyrenophora teres</p> <p><b>Rice:</b> Pyricularia oryzae, Rhizoctonia solani</p> <p><b>Vines (Grapes):</b> Plasmopara viticola, Uncinula necator</p> <p><b>Cucurbits:</b> Sphaerotheca fuliginea, Pseudoperonospora cubensis</p> <p><b>Potatoes &amp; Tomatoes:</b> Phytophthora infestans, Alternaria solani</p> <p><b>Peanuts:</b> Mycosphaerella arachidis, Rhizoctonia solani, Sclerotium rolfsii</p> <p><b>Peaches:</b> Monilinia spp., Cladosporium carpophilum</p> <p><b>Turf:</b> Pythium spp., Rhizoctonia solani</p> <p><b>Bananas:</b> Mycosphaerella spp.</p> <p><b>Pecans:</b> Cladosporium caryigenum</p> <p><b>Citrus:</b> Elsinoë fawcettii, Colletotrichum spp., Guignardia citricarpa</p> <p><b>Coffee:</b> Colletotrichum spp., Hemileia vastatrix</p>

## CYPROCONAZOLE 240 G/KG

Category	Information
Site of Action	Inhibition of ergosterol biosynthesis, by inhibition of C14-demethylase (SBI Class I).
Spectrum and Route of Action	Systemic fungicide with protective, curative and eradicant activity, absorbed by the foliage, translocated acropetally.
Uses (Crops & Diseases)	<p><b>Cereals:</b> Septoria spp., rust (<i>Puccinia</i> spp.), powdery mildew (<i>Erysiphe</i> spp.), <i>Rhynchosporium</i> spp., <i>Cercospora</i> spp., <i>Ramularia</i> spp.</p> <p><b>Sugar Beets:</b> <i>Cercospora</i> spp., <i>Ramularia</i> spp., powdery mildew (<i>Erysiphe</i> spp.)</p> <p><b>Coffee:</b> rust (<i>Hemileia vastatrix</i>), <i>Mycena</i> spp., <i>Sclerotinia</i> spp., <i>Rhizoctonia</i> spp.</p> <p><b>Turf:</b> rust (<i>Puccinia</i> spp.), <i>Sclerotinia</i> spp., <i>Rhizoctonia</i> spp.</p>

## AVAILABLE PACKS

50 ml, 100 ml, 250 ml, 500 ml, 1 L, 5 L & 20L

For complete directions and safety information, please refer to the product label.