



BHUDEVA

FIELD & LAB INSTRUMENTS

BHUL pH
Water pH Meter

BHUL 2
Water TDS & EC Meter

BHUL 6
6-IN-1 Soil Parameters Detector (Can Rotate 90 Degrees)

- Soil pH Testing
- Soil Fertility Testing
- Soil Temp Detection
- Soil Moisture Detection
- Light Detection
- Air Humidity

BHUM 2265 +50

BHUM 7018-FX

BHUM 1025.1

BHUM 7802-104

Magnifying Lenses

BHUL 8
8-IN-1 Soil Parameters Detector

Soil Parameter Detector

Temperature °C	Moisture %
12.5	42.2
Conductivity (µS/cm)	pH
1378	7.9
Ni mg/kg	Pb mg/kg
68	96
K mg/kg	Fertility mg/kg
220	757

BHUL 7
Multifunctional pH TDS Ec Salinity Water Quality Meter

PAYMENT

PAYBILL NO. : 4189295

ACCOUNT NO. : YOUR/ COMPANY NAME

Note: Check availability before paying
Ksh.300/- for transport against any order

PRICING TABLE

P2

SERIAL NUMBER	PRODUCT CODE	PRICE PER PIECE USD	PRICE PER PIECE KSH
1	BHUL pH	11	1,485
2	BHUL-2	11	1,485
3	BHUL-6	25	3,375
4	BHUL-7	55	7,425
5	BHUL-8	150	20,250
6	BHUM 1025.1	3	405
7	BHUM 2265 + 50	9	1,215
8	BHUM 7018 - FX	8	1,080
9	BHUM 7802 - 104	20	2,700

All products are vatable
 Price exclusive of V.A.T
 Paybill Number: 4189295
 Account Number: YOUR/ COMPANY NAME
Check stock before paying
 Add Ksh. 300 per consignment for shipment

8-IN-1 Soil Parameters Detector

USB Mobile



BHUL-8

8 In 1 Soil Parameters Detector (With Usb Cable)

Usage: Test Humidity / temperature / EC / NPK/PH/Fertility

Output signal: RS485(Modbus)

Supply: 5~30V DC

Response Time: <1s

Temperature Range: -40-+80°C

Moisture Range: 0-100%

EC Range: 0~20000us/cm

PH Range: 3~10PH

BHUL pH

Water pH meter

Model: pH-04

Accuracy: ± 0.1

PH Range: 0.00-14.00pH

Operating Temp: 0-50°C / 32-122°F

Battery: 2*1.5V (LR44 Button Cell)

Resolution: 0.01

P3



BHUL-2

Water EC + TDS meter

Accuracy: $\pm 2\%$

TDS Range: 0-9999ppm

Measurement Range:

Conductivity: 0-9999us/cm

Degrees Celcius: 0.1-80.0°C

Battery: 1*3V (CR2032 Button Cell)

Size: 154x30x14(mm)

NW.: 55g



4 IN 1

TDS/ EC/ Temp: °F/ Temp: °C



BHUL-4

Water EC + TDS meter

Model: A1

Accuracy: $\pm 2\%$

TDS Range: 0-9999ppm

EC Range: 0-9999us/cm

Operating Temp: 0-50°C / 32-122°C

Battery: 1*3V (CR2032 Button Cell)

Resolution: 1ppm & 1us/cm

BHUM 1025.1

Handheld Magnifier

Lens size: 65mm

Magnifications: 6X

P4



BHUM 2265 + 50

Handheld Magnifier 2 in 1 combined version

Lens size: 65mm, 50mm

Magnificationn: 8X,5X,20X

Light: 26LED, 3 Light modes

Battery: 3xAAA



BHUM 7018 - FX

Handheld Magnifier Foldable version

Lens size: 85x55mm

Magnification: 10X, 25X

Light: 7LED and 2UV

Battery: 3xAAA, with USB cable

With Scale on the stand



BHUM 7802 - 104

Inspection Magnifier

Optical Glass Lens

Lens size: 21mm

Magnification: 10X

Light: 6LED and 7UV

Battery: 3xLR927



BHUL-6

P5

6 In 1 Soil Parameters Detector

Usage:

Fertility/Moist/Ph/Temp/Sunlight/
Humidity

Fertility: 0-3000us/cm

Moisture: 0-99% (DRY-WET)

pH: 9-3.5(alkaline-acidic)

Temp: 0~50°C/32°F-122°F

Light: 0-100000Lux
(DARK-LIGHT)



BHUL-7

Multifunctional pH TDS Ec Salinity Water Quality Meter

Model:MF-H71

Range:TDS:0-10000Pppm

EC:0-10000μS/cm

pH:0.00-14.00pH

TEMP:0-60°C/32-140°F

SAL:10.1~200PPT

0.00 to 25%PPT

S.G.:1.000~1.222

ORP:0~±999MV

Battery:3*1.5V(LR44 Button Cell)

Accuracy:±0.1pH/±2%PPM/±2%EC/
0.1%PPT

Resolution:0.01ph/1pp/1us/cm

7 IN 1

WATER METER

- ① TDS
- ② EC
- ③ pH
- ④ SALT
- ⑤ S.G
- ⑥ ORP
- ⑦ TEMP

